

T 10 N

R 3 W



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,


The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Owen County are stored on microfilm Reel 4659 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor



Township No. X North, Range No. III West 2nd M.

Surveyed by W. H. Hargis 1876

Description of the Soil on the interior Sectional lines.

Section	Quality &c.	Section	Quality &c.	Section	Quality &c.
35.36	Land level middle good farming - timber Oak Birch	35.36	Mostly over cleared bottom	40.41	Low Steep hills. rich soil
25.26	Land level. Birch, Sugar, Oak, Gum. some part rather wet	36.37	Land level. Birch, Oak, Gum. some part rather wet	41.42	Low Steep hills. rich soil
24.25	Land rolling good farming - Oak, Birch, Sugar, Oak, Gum. some part rather wet	37.38	Land level middle good farming - Oak, Birch, Sugar, Oak, Gum. some part rather wet	42.43	Low Steep hills. rich soil
23.24	Land level. Birch, Sugar, Oak, Gum. some part rather wet	38.39	Land level middle good farming - Oak, Birch, Sugar, Oak, Gum. some part rather wet	43.44	Low Steep hills. rich soil
13.14	Land rolling good farming - Oak, Birch, Sugar, Oak, Gum. some part rather wet	39.40	Land level middle good farming - Oak, Birch, Sugar, Oak, Gum. some part rather wet	44.45	Low Steep hills. rich soil
12.13	Land level. Birch, Sugar, Oak, Gum. some part rather wet	40.41	Land level middle good farming - Oak, Birch, Sugar, Oak, Gum. some part rather wet	45.46	Low Steep hills. rich soil
11.12	Land level. Birch, Sugar, Oak, Gum. some part rather wet	41.42	Land level middle good farming - Oak, Birch, Sugar, Oak, Gum. some part rather wet	46.47	Low Steep hills. rich soil
1.2	Land level. Birch, Sugar, Oak, Gum. some part rather wet	42.43	Land level middle good farming - Oak, Birch, Sugar, Oak, Gum. some part rather wet	47.48	Low Steep hills. rich soil
30.31	Land level. Birch, Sugar, Oak, Gum. some part rather wet	43.44	Land level middle good farming - Oak, Birch, Sugar, Oak, Gum. some part rather wet	48.49	Low Steep hills. rich soil
29.30	Land level. Birch, Sugar, Oak, Gum. some part rather wet	44.45	Land level middle good farming - Oak, Birch, Sugar, Oak, Gum. some part rather wet	49.50	Low Steep hills. rich soil
28.29	Land level. Birch, Sugar, Oak, Gum. some part rather wet	45.46	Land level middle good farming - Oak, Birch, Sugar, Oak, Gum. some part rather wet	50.51	Low Steep hills. rich soil
27.28	Land level. Birch, Sugar, Oak, Gum. some part rather wet	46.47	Land level middle good farming - Oak, Birch, Sugar, Oak, Gum. some part rather wet		
26.27	Land level. Birch, Sugar, Oak, Gum. some part rather wet	47.48	Land level middle good farming - Oak, Birch, Sugar, Oak, Gum. some part rather wet		
25.26	Land level. Birch, Sugar, Oak, Gum. some part rather wet	48.49	Land level middle good farming - Oak, Birch, Sugar, Oak, Gum. some part rather wet		
24.25	Land level. Birch, Sugar, Oak, Gum. some part rather wet	49.50	Land level middle good farming - Oak, Birch, Sugar, Oak, Gum. some part rather wet		
23.24	Land level. Birch, Sugar, Oak, Gum. some part rather wet	50.51	Land level middle good farming - Oak, Birch, Sugar, Oak, Gum. some part rather wet		
22.23	Land level. Birch, Sugar, Oak, Gum. some part rather wet				
21.22	Land level. Birch, Sugar, Oak, Gum. some part rather wet				
20.21	Land level. Birch, Sugar, Oak, Gum. some part rather wet				
19.20	Land level. Birch, Sugar, Oak, Gum. some part rather wet				
18.19	Land level. Birch, Sugar, Oak, Gum. some part rather wet				
17.18	Land level. Birch, Sugar, Oak, Gum. some part rather wet				
16.17	Land level. Birch, Sugar, Oak, Gum. some part rather wet				
15.16	Land level. Birch, Sugar, Oak, Gum. some part rather wet				
14.15	Land level. Birch, Sugar, Oak, Gum. some part rather wet				
13.14	Land level. Birch, Sugar, Oak, Gum. some part rather wet				
12.13	Land level. Birch, Sugar, Oak, Gum. some part rather wet				
11.12	Land level. Birch, Sugar, Oak, Gum. some part rather wet				
10.11	Land level. Birch, Sugar, Oak, Gum. some part rather wet				
9.10	Land level. Birch, Sugar, Oak, Gum. some part rather wet				
8.9	Land level. Birch, Sugar, Oak, Gum. some part rather wet				
7.8	Land level. Birch, Sugar, Oak, Gum. some part rather wet				
6.7	Land level. Birch, Sugar, Oak, Gum. some part rather wet				
5.6	Land level. Birch, Sugar, Oak, Gum. some part rather wet				
4.5	Land level. Birch, Sugar, Oak, Gum. some part rather wet				
3.4	Land level. Birch, Sugar, Oak, Gum. some part rather wet				
2.3	Land level. Birch, Sugar, Oak, Gum. some part rather wet				
1.2	Land level. Birch, Sugar, Oak, Gum. some part rather wet				

T9 N 123 W. 2^d Mer. Ind.

ch. 1. 6m.

40.09

East

On true line between Sec. 23 & 26

40.09

Set up Sec. post at average dist. from which
a Sugar 3 in. diam. bear N 21 E 4 ch. dist. 8
a Beech 5 " " " S 36 E 23 " "

80.18

to Sec. Corner.

Township No 10 North of Range No 3 West 2nd Mer. Ind.

South Boundary.

B151

East

On a Random line between S. 9 N. N. R. 3 W
6 miles 139 links Set 2 ch. North of the corner
Connected and marked the line

West

On the South Boundary of Sec. 36. T10 N R 3 W.

40.00

Set up a sup. post from which
Poplar 40 in diam. bear N 16 E 48 ch. dist. 8 a
Beech 30 " " " S 46 W 28 " "

80.00

Set a post in the cor. of sec. 35 & 36 from which
Beech 20 in diam. bear N 81 E 28 ch. dist. 8 a
Sugar 10 " " " S 36 W 11 " "
Good Beech land; Timber some Poplar.

West

On the South Boundary of sec. 35 T10 N R 3 W.

0.50

To a Brook 11 links wide, loc. N W.

40.00

Set up a sup. post from which
Beech 12 in diam. bear N 70 W 8 links dist. 8 a
Do 5 " " " S 35 E 18 " "

80.00

Set a post in the cor. of sec. 34 & 35 from which
Oak 16 in diam. bear S 53 E 50 links dist. 8 a
Beech 15 " " " N 19 W 22 " "
Sands good Timber Oak & Sugar.

West

On the line On the South Boundary of sec. 34
T10 N R 3 W

40.00

Set up a sup. post from which
Sugar 14 in diam. bear S 38 E 22 links dist. 8 a
Do 14 " " " N 11 W 21 " "

80.00

Set a post in the cor. of sec. 33 & 34 from which
Beech 6 in diam. bear N 12 E 10 links dist. 8 a
Do 13 " " " S 33 W 31 " "
Sands and Timber same as last mile.

T. N. 10 N R. N. 3 W 2nd Mer. Ind.

West	On the South Boundary of sec. 33. T. 10 N R. 3 W.
40.00	Set a 7/8 support from which Oak 5 in diam. here. N 36 E 4 links dist. 80 Immersed 4 " " S 37 W 8 " " "
68.50	To a Brook. 30 links mid, to NW.
80.00	Set apart for the cor of sec. 33 & 34 from which Sugar 13 in diam. here. N 58 E 4 links dist. 80 Do. 18 " " " S 35 W 30 " " "
	From Kelly Oak & Brook, Land
West	On the South Boundary of sec. 32. T. 10 N R. 3 W.
2.50	To a Brook 30 links mid, to NW.
40.00	Set a 7/8 support from which Sugar 14 in diam. here. S 47 W 6 links dist. 80 Beck 12 " " " N 30 E 12 " " "
80.00	Set apart for the cor of sec. 31 & 32 from which Ash 40 in diam. here. N 44 E 14 links dist. 80 Beck 13 " " " S 52 W 12 " " "
	Kelly, Beck land
West	On the South Boundary of sec. 31. T. 10 N R. 3 W.
40.00	Set a 7/8 support from which Sugar 15 in diam. here. N 37 E 15 links dist. 80 Beck 6 " " " S 60 W 15 " " "
81.39	Full 100 links South of the first temp. cor to S 39 W 10 N 34 W 4 set apart from which Hackberry 15 in diam. here. N 47 W 12 links dist. 80 Do. 13 " " " S 33 E 5 " " "
	Kelly, Beck land.

East Boundary.

April 10. 1811. From the cor of S. 31 & 32 N. 10 N R. 3 W.
On the East Boundary of Sec. 30. T. 10 N R. 3 W.

B143

T. N. 10 N R. N. 3 W 2nd Mer. Ind.

16.00	To a Brook. 12 links mid, to NW.
25.00	To an Oak. 30 links dist in the river.
40.00	Set a 7/8 support from which Elm 15 in diam. here. S 36 E 5 links dist. 80 Beck 14 " " " S 38 W 39 " " "
64.00	To a Oak. 18 in diam. in the river.
76.00	To a Brook 10 links mid, to NW.
80.00	Set apart for the cor of sec. 25 & 26 from which Beck 10 in diam. here. S 64 E 21 links dist. 80 Do. 12 " " " S 48 W 50 " " "
	Land flat. Timber Beck. On the N. 1/2 sec. 27 mid. land; Timber Elm, Maple.
North	On the East Boundary of sec. 25. T. 10 N R. 3 W.
40.00	Set a 7/8 support from which Elm 6 in diam. here. N 37 W 2 links dist. 80 Beck 5 " " " S 35 E 30 " " "
65.00	To a Oak 30 in diam. in the river.
80.00	Set apart for the cor of sec. 24 & 25 from which Sugar 13 in diam. here. N 74 E 15 links dist. 80 Beck 17 " " " N 50 W 19 " " "
	Land and timber same as last mile.
North	On the East Boundary of sec. 24. T. 10 N R. 3 W.
32.50	To an Elm. 24 in diam. in the river.
40.00	Set a 7/8 support from which Hickory 12 in diam. here. S 51 W 11 links dist. 80 Beck 12 " " " S 36 E 12 " " "
46.00	To a Brook 12 links mid, to NW.
65.50	To a Brook. 8 links mid, to N.E.
80.00	Set apart for the cor of sec. 13 & 24 from which Sugar 17 in diam. here. S 10 W 30 links dist. 80 Do. 14 " " " N 25 E 37 " " "

T. N. 10 N. R. 37 2nd Mer. Ind.

Good best lands, Timber Sugar, Beech, & Poplar.

North	On the East Boundary of sec. 13. T. 10 N. R. 37.
13.00	Top of Poplar, 40 in dia. in the tree.
37.50	Top Brook 8 miles wide, Co. N.E.
40.00	Set a 7/8 supert from which Beech 8 in dia. trees. S 12 E. 13 miles dist; 80 Co. 10 " " S 30 W 21 " "
44.50	Top Spring Run 8 miles wide, Co. N.E.
80.00	Set a post for the cor. of sec. 12 & 13 from which Beech 9 in dia. trees. N 37 E. 21 miles dist; 80 Co. 12 " " S 37 W 28 " "
	Lands & timber same as last mile.
North	On the East Boundary of sec. 12. T. 10 N. R. 37.
21.00	Top of Poplar, 48 in dia. in the tree.
40.00	Set a 7/8 supert from which Beech 16 in dia. trees. S 77 W 29 miles dist; 80 Do. 4 " " N 55 E. 29 " "
55.00	Top Brook, 20 miles wide, Co. N.W.
80.00	Set a post for the cor. of sec. 12 & 13 from which Poplar, 22 in dia. trees. S 16 E. 21 miles dist; 80 Beech 7 " " N 75 W 17 " "
	Good Beech lands.
North	On the East Boundary of sec. 1. T. 10 N. R. 37.
10.00	Top Beech, 14 in dia. in the tree.
40.00	Set a 7/8 supert from which Sycamore 50 in dia. trees. N 47 W 36 miles dist; 80 Hackberry 14 " " S 47 E. 20 " "
51.00	On the Left Bank of White River 500 miles wide Corner S.W.
80.00	South cor. of T. 10 & 11. N. R. 37 & 38. Set a post for the

T. N. 10 N. R. 37 2nd Mer. Ind.

cor from which

Hackberry 12 in dia. trees. N 73 W 9 miles dist; 80

Do. 18 " " S 23 E. 8 " "

Lands and timber same as last mile.

North Boundary.

East On a Random line On the South Boundary of sec. 31.
T. 11 N. R. 37.

B 174

17.00 Top Brook 10 miles wide, Co. S.W.

40.00 Set a temp. 7/8 supert.

80.00 Set a temp. 7/8 post for the cor. of sec. 31 & 32

Pretty good land, Timber Poplar & Beech.

East On a Random line On the South Bdy. of sec. 32
T. 11 N. R. 37.

26.50 Top Brook 10 miles wide, Co. S.W.

40.00 Set a temp. 7/8 supert.

80.00 Set a temp. 7/8 post for the cor. of sec. 32 & 33
Limestone rock.East On a Random line On the South Bdy. of sec. 33
T. 11 N. R. 37.

40.00 Set a temp. 7/8 supert.

42.50 Top Brook 10 miles wide, Co. N.W.

70.00 " " Do. 75 " " S.W.

80.00 Set a temp. 7/8 post for the cor. of sec. 33 & 34

Madling good Beech lands.

East On a Random line On the South Bdy. of sec. 34
T. 11 N. R. 37.

40.00 Set a temp. 7/8 supert.

80.00 Set a temp. 7/8 post for the cor. of sec. 34 & 35.

Lands & timber same.

T. N. 10 N. R. N. 3 W. 2nd Mer. Ind.

- East. On a Random line On the South 137 of eu 35.
T. N. N. R. 3 W.
- 22.50 Log Brook 20 links mid. Lea LN
- 4000 Set a temp 7 1/2 supst.
- 8000 Set a temp 7 1/2 feet further on of eu. 35 136.
Fence Billy Limbs Bush
-
- East On a Random line On the South 137 of eu. 36.
T. N. N. R. 3 W.
- 13.50 Log Brook 40 links mid. Lea LN
- 4000 Set a temp 7 1/2 supst.
- 8000 Struck Iron Lea. For T. 10 N. R. 3 W.
-
- Corrated and marked the line between T. 10 8 N. R. 3 W.
- West On the Iron line between Eu. 1 136. T. 10 8 N. R. 3 W.
- West " " " On the South 137 of eu 36.
T. N. N. R. 3 W.
- 4000 Set the temp 7 1/2 supst on the iron line from which
Walnut 9 in dia: beam. N 59 W. 22 lks dist; 80
- 8000 Set a post for the cu of eu. 35 & 36. from which
Buckeye 12 1/2 " " S 84 E. 31 " "
Sugar 14 in dia: beam. S 75 E. 17 lks dist; 80
Do. 12 " " " N 15 W. 30 " "
-
- West On the Iron line On the South 137 of eu 35.
T. N. N. R. 3 W.
- 4000 Set the temp 7 1/2 supst on the iron line from which
Elm 24 in dia: beam. S 65 E. 23 lks dist; 80
- 8000 Walnut 12 " " S 74 W. 32 " "
Set a post for the cu of eu. 34 & 35 from which
Buck 16 in dia: beam. S 38 E. 5 lks dist; 80
Do. 20 " " " N 12 W. 30 " "

T. N. 10 N. R. N. 3 W. 2nd Mer. Ind. 447

- West On the Iron line On the South 137 of eu. 34
T. N. N. R. 3 W.
- 4000 Set the temp 7 1/2 supst in fallen timber
No bearings
- 8000 Set a post for the cu of eu. 33 & 34 on the iron line from
which, Buck 10 in dia: beam. N 81 E. 52 lks dist.
under Do. 16 " " " S 45 W. 32 " "
-
- West On the Iron line On the South 137 of eu. 33.
T. N. N. R. 3 W.
- 4000 Set the temp 7 1/2 supst on the iron line from which
Buck 6 in dia: beam. N 30 W. 83 lks dist; 80
Do. 14 " " " S 45 E. 34 " "
- 8000 Set the temp 7 1/2 feet on the iron line further cu of eu. 32 & 33
from which, Ash. 14 in dia: beam. N 19 E. 32 lks dist
under Do. 12 " " " S 43 W. 14 " "
-
- West On the Iron line On the South 137 of eu. 32.
T. N. N. R. 3 W.
- 4000 Set the temp 7 1/2 supst on the iron line from which
Buck 9 in dia: beam. S 55 W. 21 lks dist; 80
Sugar. 14 " " " N 10 E. 23 " "
- 8000 Set the temp 7 1/2 feet on the iron line further cu of eu. 31 & 32
from which a Buck 16 in dia: beam. N 49 E. 17 lks dist
under Do. 15 " " " S 40 W. 31 " "
-
- West On the Iron line On the South 137 of eu. 31. T. 1
T. N. N. R. 3 W.
- 4000 Set the temp 7 1/2 supst on the iron line from which
Dogwood 3 in dia: beam. S 85 E. 2 lks dist; 80
Sugar 12 " " " N 50 W. 15 " "
- 8000 Set the cu of T. 10 N. R. 3 W. May 3. 1811

T. N. 10 N. R. 37 2nd Mer. Ind.

Subdivisions

South On a Random line between Sec. 35 & 36. T. 10 N. R. 37 N.
 40.00 Set a temporary 7/8 cu post.
 43.50 To a Brook 20 links north, Co. 4th
 80.25 Intersect the E & W line at South Boundary 14 links
 West of the post cor of sec. 35 & 36.
 Land here made middling good for farming

North On the True line between Sec. 35 & 36. T. 10 N. R. 37 N.
 40.22 Set the temporary 7/8 cu post at the ar. dist. on the true line
 from white, Beech, 5 in dia. bears S 53 E. 24 links dist.
 and a Co. 8 " " N 72 W 20 " "
 80.25 To the post cor of sec. 25, 26, 35 & 36.

Oct. 8. 1815.

West Between Sec. 25 & 36. T. 10 N. R. 37 N.
 40.10 Set a 7/8 cu post from white,
 Beech 8 in dia. bears S 53 E. 8 links dist. To
 Co. 9 " " S 67 W 22 " "
 50.50 To a Brook 25 links north, Corner N.
 80.00 Set apart for the cor of sec. 25, 26, 35 & 36 from white,
 Poplar, 48 in dia. bears N 46 E. 4 links dist. 8 "
 Beech 16 " " S 56 W. 14 " "
 Land here & middling farming soil; Timber Oak,
 & Beech.

South On a Random line between Sec. 25 & 26. T. 10 N. R. 37 N.
 40.10 Set a temporary 7/8 cu post. N. 70 W. E
 65.00 To a Brook 31 links north, Co. 11th
 79.16 Intersect the E & W line 19 links West of the post cor
 of sec. 25 & 26, 35 & 36.
 Land here made some part rather wet; Timber
 Beech, Sugar Oak, Gum.

T. N. 10 N. R. 37 2nd Mer. Ind.

North On the True line between Sec. 25 & 26. T. 10 N. R. 37 N.
 39.58 Set the temporary 7/8 cu post at the ar. dist. on the true line
 from white, Sugar, 14 in dia. bears S 77 W. 11 links dist.
 79.16 To the post cor of sec. 23, 24, 25 & 26. N 40 E 20 " "

West Between Sec. 24 & 25. T. 10 N. R. 37 N. N. 52 E
 40.00 Set a 7/8 cu post from white, Sugar 65 S 48 E; N 10 W 23
 80.00 Set apart for the cor of sec. 23, 24, 25 & 26 from white,
 B. Ash, 14 in dia. bears N 87 W. 13 links dist.
 Made corner for sec. 23, 24, 25 & 26 on a Beech 10 in dia.
 Land rolling and good for farming; East 7/8 first
 rate. Timber Beech, Poplar, Ash, Oak, Walnut,
 Sugar.

South On a Random line between Sec. 24 & 23. T. 10 N. R. 37 N.
 40.00 Set a temporary 7/8 cu post.
 80.08 Intersect the E & W line 70 links West of the post cor
 of sec. 24, 23, 25 & 26.
 Land rolling and timber same. Good 2nd rate
 Good land for farming.

North On the True line between Sec. 23 & 24. T. 10 N. R. 37 N.
 40.04 Set the temporary 7/8 cu post at the ar. dist. on the true line
 from white, N. Ash, 9 in dia. bears N 67 W. 22 links dist.
 and a Beech 7 " " N 34 E. 10 " "
 80.08 To the post cor of sec. 13, 14, 23 & 24

East On a Random line between Sec. 13 & 24. T. 10 N. R. 37 N.
 40.00 Set a temporary 7/8 cu post
 81.00 Intersect the East Boundary 42 links North of the
 post cor of sec. 13 & 24. Land rolling & good
 for farming; Timber same. Good 2nd rate.

T. N. 10 N. R. N. 3 W 2nd Mer. Ind.

West On the New line between Sec. 13 & 24 T. 10 N. R. 3 W.
40.50 Set the timber? In sec. 13 at the ar. dist on the true line
from which, Buck 6 in dia. beam. N 85 W 13 R. dist.
and a N. Ash. 24 " " " N 19 E. 12 " "
81.00 To the post cor of sec. 13, 14, 23 & 24.

North Between Sec. 13 & 14 T. 10 N. R. 3 W. r. 6° 45' E.
40.00 Set a 70 supst from which,
Buck 11 in dia. beam. N 48 W 6 miles dist; 8 a
Do. 14 " " " S 83 E 38 " "
80.00 Set a post for the cor of sec. 11, 12, 13 & 14 from which,
Sugar 15 in dia. beam. N 14 E 13 miles dist; 8 a
Buck 10 " " " S 15 W 34 " "
Land rolling and pt. rate for farming
Timber Buck, Sugar, Walnut, Poplar, &c.

East On a line from line between Sec. 12 & 13 T. 10 N. R. 3 W.
40.00 Set a timber? In supst.
80.58 Enter cut the N 85 line 10 miles North of the post cor
of sec. 12 & 13. East by
Land not for farming. East by rather
better with some trees

West On the New line between Sec. 12 & 13 T. 10 N. R. 3 W.
40.29 Set the timber? In supst at the ar. dist on the true line
from which, Maple 9 in dia. beam. S 9 E 12 R. dist.
and a Buck 14 " " " N 53 W 18 " "
80.58 To the post cor of sec. 11, 12, 13 & 14.

North Between Sec. 11 & 12 T. 10 N. R. 3 W.
40.00 Set a 70 supst from which,
Hog wood 7 in dia. beam. N 13 E 17 miles dist; 8 a
Buck 10 " " " S 27 W 16 " "

T. N. 10 N. R. N. 3 W 2nd Mer. Ind.

80.00 Set a post for the cor of sec. 1, 2, 11 & 12 from which,
Sugar 18 in dia. beam. S 63 E 26 R. dist; 8 a
Do. 15 " " " N 59 W 14 " "
Land muddling land Timber some as last sec.

East On a line from line between Sec. 18 & 12 T. 10 N. R. 3 W.
40.00 Set a timber? In supst
66.00 To a Brook 15 miles dist, corner N.
80.00 Enter cut the East Boundary 31 miles North of the
post cor of sec. 18 & 12.
Land rather broken & muddling Land for farming
Timber some.

West On the New line between Sec. 18 & 12 T. 10 N. R. 3 W.
40.00 Set the timber? In sec. 18 at the ar. dist on the true line
from which, Buck 12 in dia. beam. N 61 E 18 R. dist
and a Do. 14 " " " N 48 W 40 " "
80.00 To the post cor of sec. 1, 2, 11 & 12.

North Between Sec. 18 & 12 T. 10 N. R. 3 W. r. 7° 10' E.
40.00 Set a 70 supst from which,
Poplar 10 in dia. beam. S 42 E 72 R. dist;
40.00 To a small Brook. cor N.E.
54.58 Set a post on the Left Bank of White River for the
cor of sec. 18 & 12 from which,
Buck 12 in dia. beam. S 76 E 23 miles dist; 8 a
Sugar 15 " " " S 20 W 23 " "
64.50 Set a post on the Right Bank of W. River for the
cor of sec. 18 & 12 from which,
Sycamore 30 in dia. beam. S 41 E 3 miles dist; 8 a
Do. 9 " " " N 55 W 3 " "
81.11 Enter cut the N Boundary 116 miles West of the post
cor of sec. 35 & 36 T. 11 N. R. 3 W. and set a

T. N. 10 N R. N. 3 W 2nd Mer. Ind.

Set apart for the ca of row 182 from white,
Sugar 14 in dist. from. N 55 W 20 links dist. 8 a
Do. 4 " " " N 77 W 19 " "
Goode farming land.

South Over Random line between Sec. 34 & 35 T. 10 N R. 3 W
4000 Set apart 7 1/2 supst.
80.68 Set apart the South Random 7.65 miles West of the post
Cor. of row 34 & 35.
Land the same.

North Over the line between Sec. 34 & 35 T. 10 N R. 3 W
40.34 Set the temp. 7 1/2 supst. at the ar dist on the line
from white, Buck 4 in dist. from. S 8 E 5 1/2 links dist
and a w Do. 9 " " " N 10 W 56 " "
80.68 Set the post Cor. of row 26, 27, 34 & 35.

West Between Sec. 26 & 35 T. 10 N R. 3 W.
4000 Set a 7 1/2 supst. from white,
Kicks 10 in dist. from. S 19 E 5 1/2 links dist. 8 a
Buck 9 " " " N 39 W 6 " "
80.00 Set apart for the ca of row 26, 27, 34 & 35 from white,
W Oak 18 in dist. from. S 10 W 11 links dist. 8 a
Buck 10 " " " N 61 E 5 " "
Land the same.

x North Between Sec. 26 & 27 T. 10 N R. 3 W. Same line
39907 Set the temp. 7 1/2 supst. at the ar dist on the line
from white, Buck 5 in dist. from = 36 & 10 links dist
and a w Kicks 10 " " " N 76 W 11 " "
7981 Set the post Cor. of row 22, 23, 26 & 27

South Over Random line between Sec. 26 & 27 T. 10 N R. 3 W

T. N. 10 N R. N. 3 W 2nd Mer. Ind.

Oct. 9. 1815.

4000 Set a temp. 7 1/2 supst.
70.50 To a Brook 15 miles north, Sec. 17.
7981 Set apart the E & W line 66 miles West of the post Cor. of
Sec. 26, 27, 34 & 35.
Land and 1/2 middling good Timber Oak, Ash, Buck,
Kicks

North Between Sec. 22 & 23 T. 10 N R. 3 W. N 7° 10' E
4000 Set a 7 1/2 supst. from white,
Sugar 6 in dist. from. N 50 E 10 links dist. 8 a
Do. 10 " " " S 47 W 18 " "
62.00 To a Brook 30 miles north, Sec. 17.
8000 Set apart for the ca of row 14, 15, 22 & 23 from white,
Buck 12 in dist. from. S 19 W 12 links dist. 8 a
Do. 14 " " " S 46 E 22 " "
Part of this mile Nelly & 11 Broken. Part good for farm
ing Timber same.

East Between Sec. 14 & 23 T. 10 N R. 3 W. N 15° 20' E.
4000 Set a 7 1/2 supst. from white,
Buck 5 in dist. from. N 46 E 3 links dist. 8 a
W Ash 14 " " " N 84 W 19 " "
8000 Set apart for the ca. of row 13, 14, 23 & 24 from white,
Buck 12 in dist. from. S 77 E 5 links dist. 8 a
Sugar 12 " " " N 57 W 21 " "
Land rather broken with sink holes Timber same
Sick rich

North Between Sec. 14 & 15 T. 10 N R. 3 W
4000 Set a 7 1/2 supst. from white,
W Ash 24 in dist. from. S 50 W 10 links dist. 8 a
Buck 18 " " " N 11 E 32 " "

T. N. 10 N. R. N. 37 2nd Mer. Ind.

8000 Set apart for the cor of sec 10, 11, 14 & 15 from which
Sugar 12 in dia. beam. S 36 E 9 miles dist. 8 a
Matam 30 " " " S 13 E 28 " "
Part of this mile rather broken with sink holes
Timber Beech, Sugar, Poplar, Matam, &c. Soil rich
Good farming land

East On a Run down line between Sec 11 & 14 T. 10 N. R. 37
3.50 Top of Brook 10 miles mid. to W. N.

4000 Set a trap for foxes.
81.30 Enter at the N. 37 line. 19 miles North of the first cor.
Sec 11, 12, 13 & 14
Lands High, some sink holes; Soil rich and good
farming Timber Sugar, Poplar Matam, &c.

West On the line between Sec 10 & 14 T. 11 N. R. 37
40.66 Set the trap for foxes at the cor dist on the line
from which Beech 18 in dia. beam. S 29 W. 18 miles dist.
Sugar 13 " " " S 36 E 26 " "
81.30 To the first cor of sec. 10, 11, 14 & 15.

North Between Sec 10 & 11 T. 10 N. R. 37.

5.00 To a Bend 15 miles mid. to W. N.

16.50 " " Spring Corner W

37.00 To a Bend in the River.

40.00 Half mile cor. in the River.

62.46 Set apart on the Left Bank of W. River for the cor of
frac. Sec 10 & 11 from which

Sycamore 36 in dia. beam. S 6 E 20 miles dist. 8 a

Do 27 " " " N 61 W 10 " "

69.15 A cottonwood stands on the Right Bank of W. River
for the cor. of frac. Sec 10 & 11

80.00 Set apart for the cor of sec. 2, 3, 10 & 11 from which

T. N. 10 N. R. N. 37 2nd Mer. Ind.

Sycamore 36 in dia. beam. S 72 E 23 miles dist. 8 a
Do 30 " " " S 43 E 22 " "
Lands N. 7th overflooded Bottom. South 7th unplanned
rich soil & good for farming

East On a Run down line between Sec 11 & 14 T. 10 N. R. 37
8.15 A Locust 4 in dia. stands on the Right Bank of W.
River

14.00 To the Left Bank of W. River

40.00 Set a trap for foxes.

81.60 Enter at the N. 37 line. 20 miles South of the first cor. of
Sec 1, 2, 11 & 12.

Lands rich and good for farming. Timber Beech
Sugar, Matam, &c. Some sink holes.

West On the line between Sec 2 & 11 T. 10 N. R. 37.

40.80 Set the trap for foxes at the cor dist on the line
from which Beech 10 in dia. beam. S 37 W. 16 miles dist.
Sugar 15 " " " S 36 E 20 " "

81.60 To the cor of sec 2, 3, 10 & 11.

64.00 Set apart on the Left Bank of W. River for the cor of
frac. Sec 2 & 11 from which

W. Beech 7 in dia. beam. N 40 W. 7 miles dist. 8 a

Do 18 " " " N 66 E 15 " "

81.60 To the first cor. of sec. 2, 3, 10 & 11.

North Between Sec 2 & 11 T. 10 N. R. 37 - 16° 15' E.

6.00 Set apart on the Right Bank of W. River for the cor.
of frac. Sec 2 & 11 from which

Sycamore 24 in dia. beam. S 44 E 30 miles dist. 8 a

Box Elder 10 " " " S 87 W 25 " "

36.00 Set apart on the Right Bank of W. River for the cor of
frac. Sec 2 & 11 from which

T. N. 10 N. R. N. 37 2nd Mm. Ind.

8000 Set apart for the cor of sec 10, 11, 14 & 15 from which
Sugar 12 in dia. beam. S 13 E 9 mls dist; 8 a
Walnut 30 " " " S 13 E 28 " "
Part of this mile rather broken with sink holes
Timber Beech, Sugar, Poplar, Walnut, &c. Soil rich
Good farming land

East On a Random line between Sec 11 & 14 T. 10 N. R. 37 N.
3.50 Top of Brook 10 mls mid. l. N. N.

4000 Set a temporary for support.

81.32 Intersect the N 45 line 19 mls North of the post cor of
Sec 11, 12, 13 & 14
Land is high some sink holes; Soil rich and good
farming Timber Sugar, Poplar Walnut, &c.

West On the line between Sec 10 & 14 T. 11 N. R. 37 N.
40.66 Set the temporary for support at the cor dist on the line
from which Beech 18 in dia. beam. S 29 W. 18 mls dist
and Sugar 12 " " " S 3 E 26 " "
81.32 To the post cor of sec. 10, 11, 14 & 15.

North Return Sec 10 & 11 T. 10 N. R. 37 N.

5.00 To a Brook 15 mls mid. l. N. N.

16.50 " " Spring Corner W

37.00 To a Bend in the River.

40.00 Nearly mile cor. in the River.

62.46 Set apart on the Left Bank of W. River for the cor of
frac. Sec 10 & 11 from which
Sycamore 36 in dia. beam. S 86 E 20 mls dist; 8 a
Do 27 " " " N 61 W 10 " "

69.15 A cottonwood stands on the Right Bank of W. River
for the cor. of frac. Sec 10 & 11

80.00 Set apart for the cor of Sec 2, 3, 10 & 11 from which

T. N. 10 N. R. N. 37 2nd Mm. Ind.

Sycamore 36 in dia. beam. S 72 E 23 mls dist; 8 a
Do 30 " " " S 43 E 22 " "
Land is N. to overflowed Bottom. South is upland
rich soil & good for farming

East On a Random line between Sec 2 & 11 T. 10 N. R. 37 N.
8.15 To east 4 in dia. stands on the Right Bank of W.
River

14.00 To the Left Bank of W. River

40.00 Set a temporary for support.

81.60 Intersect the N 45 line 20 mls South of the post cor of
Sec 1, 2, 11 & 12.
Land is rich and good for farming. Timber Beech
Sugar, Walnut, &c. Some sink holes.

West On the line between Sec 2 & 11 T. 10 N. R. 37 N.

40.80 Set the temporary for support at the cor dist on the line
from which Beech 10 in dia. beam. S 33 W. 16 mls dist;
and Sugar 12 " " " S 3 E 20 " "

81.60 To the cor of sec 2, 3, 10 & 11.

* 64.00 Set apart on the Left Bank of W. River for the cor of
frac. Sec 2 & 11 from which
W. Beech 7 in dia. beam. N 40 W. 7 mls dist; 8 a
Do 18 " " " S 66 E 15 " "

81.60 To the post cor. of sec 2, 3, 10 & 11.

North Return Sec 2 & 3 T. 10 N. R. 37 N. - 6° 15' E.

6.00 Set apart on the Right Bank of W. River for the cor.
of frac. Sec 2 & 3 from which

Sycamore 24 in dia. beam. S 44 E 30 mls dist; 8 a
Box Elder 10 " " " S 87 W 25 " "

36.00 Set apart on the Right Bank of W. River for the cor of
frac. Sec 2 & 3 from which

T. N. 10 N. R. No 37 2nd Mer. Ind.

40.00	Maple 7 in dia. haw. N 60 W 11 miles east, 8 a Sycamore 18 " " S 41 E 30 " "
80.89	Set a 7/8 supert from which, Buckeye 12 in dia. haw. N 78 W 39 miles east, 8 a Oak 24 " " S 44 E 38 " "
	Intersect the N. 10 N. R. 37 148 miles West of the post cor of sec 34 & 35 T. 11 N. R. 37 W. 8 set apart for the cor " " 213. From which, Buck 12 in dia. haw. S 45 E 10 miles east, 8 a Oak 9 " " S 11 W 19 " "
	This mile is mostly overflowed bottom.
South	On a Random line between Sec 33 & 34 T. 10 N. R. 37 W.
40.00	Set a temp 7/8 supert.
76.00	To a Brook 5 miles m.w., corner W.
80.00	Intersect the South Normal 35 miles East of the post cor of sec 33 & 34. Lands extremely hilly thin soil. Timber Oak & Buck,
North	On the Snow line between Sec 33 & 34 T. 10 N. R. 37 W.
40.00	Set the temp 7/8 supert at the cor east on the line from which, Buck 9 in dia. haw. N 25 W 29 miles east, 8 a Maple 14 " " S 43 E 2 " "
80.00	To the post cor of sec 27, 28, 33 & 34
East	On a Random line between Sec 27 & 34 T. 10 N. R. 37 W.
37.50	To a small Brook corner W. W.
40.00	Set a temp 7/8 supert.
75.00	To a small Brook corner W.
79.85	Intersect the N. 10 N. R. 37 35 miles North of the post cor of Sec 26, 27, 34 & 35. Lands very hilly Timber Oak & Buck, Sugar & Hick

T. N. 10 N. R. No 37 2nd Mer. Ind.

West	On the Snow line between Sec 27 & 34 T. 10 N. R. 37 W.
39.92	Set the temp 7/8 supert at the cor west on the line from which, Buck 15 in dia. haw. S 21 E 21 miles west and a Oak 11 " " S 15 W 5 " "
79.85	To the post cor of sec 27, 28, 33 & 34.
South	Return Sec 27 & 28 T. 10 N. R. 37 W.
15.00	To a Brook 10 miles m.w., corner W.
40.00	Set a 7/8 supert from which, Buck 11 in dia. haw. N 61 E 16 miles east, 8 a Oak 16 " " S 13 W 26 " "
40.50	To a Brook 10 miles m.w., corner W.
65.50	To a small Brook corner N. W.
80.00	Set apart for the cor of sec 27, 28, 33 & 34 from which, Hick 15 in dia. haw. East 11 miles east, 8 a Buck 14 " " S 89 W 24 " "
	Lands the same.
West	Return Sec 22 & 27 T. 10 N. R. 37 W.
40.00	Set a 7/8 supert from which, Sugar 12 in dia. haw. S 54 W 17 miles east, 8 a Oak 10 " " S 13 E 21 " "
80.00	Set apart for the cor of sec 21, 22, 27 & 28 from which, Sugar 14 in dia. haw. N 68 W 4 miles east, 8 a Oak 14 " " S 38 E 19 " "
	Lands hilly and sub rich. Timber Oak, Ash Poplar, & Buck, Sugar &c.
North	Return Sec 21 & 22 T. 10 N. R. 37 W. S. 7.10
16.00	To a Brook 3 miles m.w., cor W.
21.00	To a Oak 8 " " " "
25.00	" " Oak 6 " " " "
40.00	Set a 7/8 supert from which,

T. A. 10 N. R. 37 2nd Mer. Ind.

Ch. 1/2
North On the line between Sec. 9 & 10. T. 10 N. R. 37
39.82 Set the temporary post at the arc east on the true line from which
Buck 18 in diam. here. N 34 W. 11 links east; 80
Do. 12 " " S 49 E. 38 " "
7964 To the post on of sec. 34 9 & 10

East On a random line between Sec. 3 & 10. T. 10 N. R. 37
40.00 Set a temporary post in a post.
7785. Intersect the N 1/2 line 207 links North of the post on
of sec. 2, 3 & 11.
Lands mostly hilly; East to bottom land.

West On the line between Sec. 3 & 10 T. 10 N. R. 37
38.92 Set the temporary post in a post at the arc east on the true line
from which, Buck 9 in diam. here. S 8 W. 4 links east,
and as N. Ash 14 " " N 84 E. 14 " "
7785. To the cor of sec. 34 9 & 10

North Between Sec. 3 & 4 T. 10 N. R. 37 77.00 E.
21.00 To a creek 30 links wide, 160 E.
40.00 Set a post in a post from which
N. Ash 30 in diam. here. S 26 W. 7 links east; 80
Sugar. 14 " " S 69 E. 32 " "
79.90 Intersect the N Boundary 18 links West of the post
cor of sec. 33 & 34 T. 10 N. R. 37 and set a post
for the cor. Sec. 3 & 4 from which
Buck 6 in diam. here N 6 E. 10 links east; 80
Lp 18 " " S 9 W. 35 " "
Lands low ridges or hills; Timber Buck, Sugar, Oak, &c.

North Between Sec. 33 & 34 T. 10 N. R. 37 77.30 E.
2.50 To a Brook 15 links wide, 160 W.
40.00 Set a post in a post from which

T. A. 10 N. R. 37 2nd Mer. Ind.

Ch. 1/2
Buck 7 1/2 in diam. here North 15 links east; 80
Sugar 9 " " S 20 E. 34 " "
80.00 Set a post for the cor of sec. 28, 29, 32 & 33 from which
Buck 15 in diam. here. S 36 E. 4 links east; 80
Do. 14 " " N 63 W. 37 " "
Lands low hills; Timber Buck, Sugar &c. North
to good lands for farming;

East On a random line between Sec. 28 & 33. T. 10 N. R. 37
40.00 Set a temporary post in a post.
79.87 Intersect the N 1/2 line 39 links North of the post cor
of sec. 27, 28 & 33 & 34.
Lands & timber same

West On the line between Sec. 28 & 33. T. 10 N. R. 37.
39.93 Set the temporary post in a post at the arc east on the true line
from which, Buck 3 in diam. here. S 89 E. 14 links east
and as Do. " " " S 88 W. 32 " "
79.87 To the cor of sec. 28, 29, 32 & 33

North Between Sec. 28 & 29 T. 10 N. R. 37.
40.00 Set a post in a post from which
Buck. 9 in diam. here. N 17 W. 12 links east; 80
Sugar. 12 " " S 40 E. 17 " "
*63.87 Set a post on the left bank of N. River for the cor of
Sec. 28 & 29 from which
Buckeye 12 in diam. here. S 25 E. 37 links east; 80
Elm. 10 " " N 15 E. 25 " "
70.54 Set a post for the cor of Sec. 28 & 29 from which
Buck 24 in diam. here. N 64 W. 16 links east; 80
Oak 8 " " S 18 E. 5 " "
80.00 Set a post for the cor of sec. 20, 21, 28 & 29 from which
Buck 9 in diam. here. S 33 E. 18 links east; 80

T. N. 10. N. R. N. 37. 2nd. Mm. Sud.

23" Walnut 5 in dia. beam 186 ft 10 links east,
 Land good for farming + 1.50 to water's edge

East Between Sec 21 & 28. T. 10. N. R. 37. N. 53° 30' E.

40.00 Set a post from which
 Sugar 18 in dia. beam. 139 ft 17 links east, & a
 Do 12 " " 132 ft 30 "

56.16 Set a post on the Right Bank of M. River for the
 cor of tract Sec 21 & 28. from which
 23" 15 in dia. beam. 114 E. 14 links east, & a
 Cherry 8 " " 131 ft 16 "
 Land 1st rate bottom.

West Between Sec 21 & 28. T. 10. N. R. 37.

16.12 Set a post on the Left Bank of M. River for the cor
 of tract Sec 21 & 28 from which
 Sugar 12 in dia. beam. 166 E. 12 links east, & a
 Buck 6 " " 127 ft 21 "

North Between Sec 20 & 21. T. 10. N. R. 37. N. 7° 10' E.

40.00 Set a post from which
 Buck 7 in dia. beam. 164 ft 4 links east, & a
 Do 15 " " 187 ft 22 "

80.00 Set a post for the cor of sec 16. 17 & 21 from which
 Buck 14 in dia. beam. 130 ft 10 links east, & a
 Do 8 " " 99 E. 31 "
 Land South 3/4 1st rate bottom land; N. 1/4 8th
 Red Hills.

East Between Sec 16 & 21. T. 10. N. R. 37. N. 53° 30' E.

40.00 Set a post from which
 Sugar 8 in dia. beam. 157 ft 7 links east, & a
 Do 9 " " 140 E. 13 "

80.00 Set a post for the cor of sec 16. 17 & 21 from which

T. N. 10. N. R. N. 37. 2nd. Mm. Sud.

Elm 14 in dia. beam 129 ft 26 links east, & a
 Sugar 18 " " 148 ft 20 "

Land 1st rate hills East, 2nd good
 Bottom land.

North Between Sec 16 & 17. T. 10. N. R. 37. N. 53° 30' E.

40.00 Set a temporary post.

56.00 To a Brook 8 links wide, corner E.

65.00 " " Do 8 " " " " E.

80.83 Set a post on the E. N. line 10 links East of the post cor.
 of sec 8. 9. 16 & 17
 Land 3rd rate hills.

South On the line between Sec 16 & 17. T. 10. N. R. 37.

40.41 An R. Oak 24 in dia stands at the cor with
 on the line.

80.83 To the post cor of sec 16. 17 & 21.

West Between Sec 9 & 16. T. 10. N. R. 37.

24.00 To a Brook 15 links NE

40.00 Set a post from which
 Buck 12 in dia. beam. 176 ft 10 links east, & a
 Do 9 " " 159 E. 26 "

72.00 To a Brook 15 links wide, corner SE.

80.00 Set a post for the cor of sec 8. 9. 16 & 17 from which
 Hickory 9 in dia. beam. 126 E. 10 links east, & a
 Buck 11 " " 161 ft 9 "
 Land 3rd rate hills.

North Between Sec 8 & 9. T. 10. N. R. 37. N. 7° 00' E.

12.00 To a Brook 15 links wide, corner SE.

40.00 Set a post from which
 Buck 12 in dia. beam. 177 E. 15 links east, & a

T. N. 10 N. R. N. 37 W. 2nd Mer. Ind.

W Oak 26 in dia: beam. N 127 W. 20 miles east;
 80.00 Set apart for the cor of sec. 4, 5, 8 & 9 from which
 Buck. 9 in dia: beam. S 4 E. 28 miles east; 8 a
 Ho. 10 " " " N 78 W. 4 " "
 Lands the same as last mile.

East Return Sec 4 & 9 T 10 N R 37 W.
 40.00 Set apart east from which
 Elm. 5 in dia: beam. S 48 W. 32 miles east; 8 a
 Sugar. 13 " " " N 13 E. 32 " "
 80.00 Set apart for the cor of sec. 3 & 4 from which
 Buck. 14 in dia: beam. S 64 E. 34 miles east; 9 a
 W Ash 10 " " " N 41 W. 31 " "
 This mile is low steep hills rich soil.

North Return Sec 4 & 5 T 10 N R 37 W.
 40.00 Set apart east from which
 Sugar. 8 in dia: beam. N 70 W. 6 miles east; 8 a
 Buck. 16 " " " S 12 E. 28 " "
 49.18 Set apart the N Boundary 65 miles West of the post
 cor of sec. 32 & 33. T 11 N R 37 W. and set apart
 " " " 4 & 5 from which
 Buck. 10 in dia: beam. N 81 E. 31 miles east; 8 a
 Ho. 9 " " " N 61 W. 16 " "
 Lands East & same. North & good land for
 farming;

South Quarter line between Sec 31 & 32 T 10 N R 37 W.
 5.00 To the Left Bank of the River.
 23.00 To the " " " "
 49.50 To the Left " " " "
 80.44 Set apart the South Boundary 82 miles West of the
 post cor of sec. 31 & 32.

T. N. 10 N. R. N. 37 W. 2nd Mer. Ind.

Lands North & bottom; South & rolling and low
 hills and is suitable for farming land.

North Quarter line between Sec 31 & 32 T 10 N R 37 W.
 30.94 Set apart on the Left Bank of W. River for the cor.
 of sec. 31 & 32 from which N. 80° 5' E.
 Buck. 18 in dia: beam. S 4 E. 22 miles east; 8 a
 Ho. 9 " " " S 66 W. 9 " "
 57.44 Set apart on the Left Bank of W. River for the cor of
 sec. 31 & 32 from which
 Maple. 14 in dia: beam. N 56 E. 38 miles east; 8 a
 Elm. 5 " " " S 46 W. 10 " "
 75.00 Set apart on the Left Bank of W. River for the
 cor of sec. 31 & 32 from which
 Maple. 12 in dia: beam. East. 62 miles east; 8 a
 80.44 Cor of sec. 29 & 30. 31 & 32 in the River
 and is good for farming.

West Return Sec 29 & 30 T 10 N R 37 W. N. 5° 30' E.
 9.00 Trapping branch corner.
 40.00 Set apart east from which
 Buck. 5 in dia: beam. N 70 E. 12 miles east; 8 a
 Ho. 4 " " " S 53 W. 13 " "
 70.00 Set apart on the Left Bank of W. River for the cor
 of sec. 29 & 30 from which
 Hackberry 12 in dia: beam. N 53 E. 17 miles east
 Ho. Sugar. 5 " " " S 19 E. 13 " "
 Most of this mile River bottom, of an excellent
 quality; but small parts conformed.
 80.00 Set apart in the River for the cor of sec. 29 & 30
 31 & 32 Most of this mile bottom rich &
 good for farming.

T. N. 10 N. R. N. 37. 2nd Tm. Ind.

- Met Return Dec 30 1831 T 10 N R 37.
 2.00 Set a post on the Right Bank of White River
 for the cor of frac. Sec. 30 1831 from which
 Hick 17 in dia. beam. S 127 N 33 E 11 mts. dist. Ga
 Sugar. 9 " " S 57 E 11 " "
 40.00 Set a 7/8 sup post from which
 Walnut, 9 in dia. beam. S 85 E 17 mts. dist. Ga
 Do. 4 " " S 38 N 14 " "
 78.82 Enter cut the West Branch 164 mts. North of
 the post cor of Sec. 25 1836. T 10 N R 4 N. & set a
 post for the cor " 30 1831 from which
 Sugar. 10 in dia. beam. S 39 N 11 mts. dist. Ga
 Do. 12 " " East. 15 " "
 Sande, 1st rate; Timber similar some ash,
 Walnut, Hackberry; &c. some little broken.
- Smith Return Dec 29 1830 T 10 N R 37.
 40.00 Set a 7/8 sup post from which
 Buck 6 in dia. beam. S 66 E 21 mts. dist. Ga
 Do. 13 " " S 88 N 15 " "
 78.25 Set a post on the Right Bank of W. River for
 the cor of frac. Sec. 29 1830 from which
 Maple. 11 in dia. beam. East 15 mts. dist. Ga
 Sycamore 15 " " S 83 N 30 " "
 High upland Rich soil Good land for farm-
 ing Timber same.
- Met Return Dec 20 1829 T 10 N R 37. N. 53° 30' E.
 40.00 Set a 7/8 sup post from which
 Sugar. 16 in dia. beam. S 55 N 14 mts. dist. Ga
 Do. 16 " " S 77 E 39 " "
 61.01 Top Brook 15 mts. N. W. Sec. 1.
 80.00 Set a post for the cor of Sec. 19 20 29 1830 from which a

T. N. 10 N. R. N. 37 2nd Tm. Ind.

- Hick 14 in dia. beam. S 67 N 14 mts. dist. Ga
 Do. 11 " " S 89 E 10 " "
 Sande bottom part overflows.
- Met Return Dec 19 1830 T 10 N R 37
 40.00 Set a 7/8 sup post from which N. 53° 30' E.
 Sugar. 20 in dia. beam. S 70 N 13 mts. dist. Ga
 Dogwood 3 " " S 87 E 18 " "
 78.33 Enter cut the West Branch 232 mts. North of the
 post cor of Sec. 24 1825 T 10 N R 4 N. and set a
 " " " 19 1830 from which
 Sugar 12 in dia. beam. S 76 E 28 mts. dist. Ga
 Buck. 15 " " S 112 N 25 " "
 Sande low hills & good for farming; Rich soil,
 Timber Buck, Sugar, Poplar Oak &c.
- Smith Quakamond line between Dec 19 1820 T 10 N R 37
 40.00 A Brook 15 mts. N. W. Sec. 1.
 40.00 Set a temp. 7/8 sup post.
 79.91 Enter cut the E & W line 45 mts. East of the post cor
 of Sec. 19 20 29 1830
 The mile bottom of a second rate.
- North Quakamond line between Dec 19 1820. T 10 N R 37
 39.95 Set the temp. 7/8 sup post at the cor with on the line
 from which W. Buck 7 in dia. beam. S 57 N 5 mts. dist.
 and a Hick 9 " " S 60 E 46 " "
 79.91 Set the cor of Sec. 17 18 19 1820.
- Met Return Dec 17 1820. T 10 N R 37.
 15.00 Top Brook 8 mts. N. W. Sec. 1.
 40.00 Set a 7/8 sup post from which
 Maple. 10 in dia. beam. S 81 E 10 mts. dist. Ga

T. N. 10 N R. N. 3 W. 2nd Mer. Ind.

53.00 Buck 12 in dia. beam N 28 W. 16 links east,
 To small Brook corner S
 8.00 Set apart for the ca of ew. 17 18 19 & 20 from which
 Dogwood 6 in dia. beam. N 37 E. 11 links east, 30
 Gym. 18, , , S 87 W. 12, , ,
 Land East 1/4 low steep hills. The West 3/4 low
 land not very good for farming Timber
 Oak Buck S.

West Return Dec. 18 19 T. 10 N R. 3 W.
 16.00 Top Brook 15 links mid, corner S. W.
 40.00 Set apart for the ca of ew. from which
 Buck 7 in dia. beam. N 22 E. 16 links east, 30
 Hickory 9, , , S 3 E. 5, , ,
 78.00 Intersect the West Boundary 282 links North of
 the post ca of ew. 13 & 24 T. 10 N R. 4 W. and set a
 post for the ca of ew. 18 & 19 from which
 Buck 11 in dia. beam. S 9 E. 9 links east, 30
 W Oak. 18, , , S 77 W. 11, , ,
 Land low hills some points better, good soil
 Timber Buck, Sugar, Poplar & Oak.

North Return Dec. 17 & 18 T. 10 N R. N. 3 W. N. 7.00 E.
 8.00 Top Brook 6 links mid, corner S. W.
 40.00 Set apart for the ca of ew. from which
 Buck 7 in dia. beam. S 51 E. 3 links east, 30
 Do 7, , , S 54 W. 2, , ,
 8.00 Set apart for the ca of ew. 7, 8, 17 & 18 from which
 Buck 6 in dia. beam. N 88 E. 6 links east, 30
 Do 10, , , N 71 W. 18, , ,
 This mile 30 rate hills

East East Random line between Dec. 8 & 11 T. 10 N R. 3 W.

T. N. 10 N R. N. 3 W. 2nd Mer. Ind.

40.00 Set a temple 7/4 ew post. N. 5° 30' E.
 79.57 Intersect the N 83 line 26 links South of the post
 ca of ew. 8, 9, 16 & 17.
 Land low hills 2nd rate soil, Timber same.

West Return Dec. 8 & 11 T. 10 N R. 3 W.
 39.78 Set the temple 7/4 ew post at the ca east on the true line
 from which, B 71 about, 24 in dia. beam. N 48 E. 25 links
 and a Sugar 12, , , S 75 W. 9, , ,
 79.57 To the ca of ew. 7 & 17 & 18.

West Return Dec. 7 & 18 T. 10 N R. 3 W.
 2.50 Top Brook 8 links mid, corner S.
 40.00 Set apart for the ca of ew. from which
 W Oak. 14 in dia. beam. N 33 E. 15 links east, 30
 Do 18, , , N 83 W. 31, , ,
 77.62 Intersect the West Boundary 251 links North of the
 post ca of ew. 12 & 23. T. 10 N R. 3 W. and set a
 post for the ca of ew. 7 & 18 from which
 Buck 9 in dia. beam. N. E. 18 links east, 30
 Do 4, , , S 9 W. 23, , ,
 Land the same.

North Return Dec. 7 & 18 T. 10 N R. 3 W.
 40.00 Set apart for the ca of ew. from which
 Buck 11 in dia. beam. N 6 E. 12 links east, 30
 Hickory 12, , , N 55 W. 14, , ,
 8.00 Set apart for the ca of ew. 5, 6, 7 & 8 from which
 Sugar 12 in dia. beam. S 58 E. 26 links east, 30
 Do 12, , , N 40 W. 18, , ,
 Land middle line land and good for farming
 Some part rather broken. Timber Oak, Buck, Sugar
 & Poplar, 2nd rate

T. N. 10 N. R. N. 3 W 2nd Mer. Ind.

East	On a Random line between Sec. 588 T. 10 N. R. 3 W
4000	Set a temp. 74 su post.
78.90	Intersect the N 3 W line 17 miles South of the post cor of sec. 45, 889.
	Land muddling level 8 2 nd rate; Timber Principally Beech; Some Sugar, Poplar, Ash & Oak.
West	On the true line between Sec. 588 T. 10 N. R. 3 W.
39.45	Set the temp. 74 su post at the av. dist on the true line from which a Beech 13 in dia. bears S 58 W. 12 1/2 miles and a Oak 36 " " " N 76 E 5 " "
78.90	To the post cor. of sec. 5, 6, 7 & 8.
West	Between Sec. 677 T. 10 N. R. 3 W r. 53060.
5.00	To a Brook 5 miles wide, corner SE
40.00	Set a su post from which Sugar, 10 in dia. bears S 70 E 35 miles east; 80
	Lo 13 " " " N 12 W 7 " "
76.72	Intersect the West Boundary 30 1/2 miles North of the post cor of sec. 1812 T. 10 N. R. 3 W West & set a post for the cor. of sec. 677 from which Sugar, 8 in dia. bears S 7 E 17 miles east; 8 a
	Logwood 5 " " " N 83 W 11 " "
	Land similar West & bottom.
North	Between Sec. 546 T. 10 N. R. 3 W.
40.00	Set a su post from which
	Bark 4 in dia. bears S 86 E 12 miles east; 8 a
	Beech 11 " " " S 88 W 16 " "
78.03	Intersect the N 3 W boundary at the cor of sec. 31132 T. 10 N. R. 3 W and set a post for " " " 546.
	Land similar South & bottom

Record

T. N. 10 N. R. N. 3 W 2nd Mer. Ind.

Meanders of the Right Bank of White River
Commenced in the East Boundary of Sec. 1 T. 10 N. R. 3 W thence down stream in Sec. 1.

S 76 W	4.07
S 67 W	6.24
S 80 W	7.28
S 74 W	6.91.00
N 74 W	6.91
N 78 W	11.22
N 60 W	7.19
N 43 W	8.03
N 69 W	8.07
N 85 W	5.48
S 69 W	5.48
S 52 W	9.11
N 60 W	7.27
N 42 W	3.88

In sec. 1.

N 53 W	4.25.	In Sec. 2. T. 10 N. R. 3 W
N 64 W	2.64	
N 73 W	4.84	
N 67 W	2.45	
N 79 W	7.20	
S 88 W	4.43.	
N 87 W	2.96.	
S 76 W	3.49	In Sec. 2
S 70 W	7.00	
S 86 W	3.34	
S 80 W	3.13	
S 69 W	19.06.	
S 45 W	8.20	
S 57 W	3.22	
S 44 W	8.36.	

T. N. 10 N. R. 1. 3 N. 2nd Mer. Ind.

S31 W 13.74
South 0.74 To the cen of sec. 283. T. 10 N. R. 3 N.

S43 W 8.67 In sec. 3. T. 10 N. R. 3 N.

S16 W 8.51

S38 E 4.86

S36 E 6.73

S51 E 3.50

S61 E 3.10

S30 E 0.40

In sec. 3

To the cen of sec. 283. T. 10 N. R. 3 N.

S67 E 8.76

In sec. 2.

S5 E 2.09

S19 E 0.53

To the cen of sec. 281. T. 10 N. R. 3 N.

S53 W 9.60

In sec. 11.

South 0.50

To the cen of sec. 1081. T. 10 N. R. 3 N.

S86 W 9.59

In sec. 10. T. 10 N. R. 3 N.

N. 5° 25' E

S21 W 2.50

S56 W 1.68

S80 W 2.51

South 5.26

S4 E 3.72

S4 W 7.37

S39 E 5.68

S50 E 9.79

S47 W 15.21

S37 W 7.94

S52 W 11.00

S75 W 9.37

S78 W 12.94

S48 W 3.60

In sec. 10.

T. N. 10 N. R. 1. 3 N. 2nd Mer. Ind. 475

S44 W 5.84

S49 W 6.50

S66 E 0.63

To the line between sec. 10 & 15. T. 10 N. R. 3 N.

S24 W 6.31

In sec. 15. T. 10 N. R. 3 N.

N. 7° 10' E.

S7 E 6.41

S28 E 6.78

S28 W 1.73

S12 W 6.76

S34 W 3.86

S23 W 5.15

S10 E 3.24

S62 W 5.93

S52 W 8.18

S24 E 0.57

To the cen of sec. 15 & 22

In sec. 15.

S W From the cen of sec. 15 & 22. To the cen of sec. 21 & 22

S56 W 3.81

In sec. 21. T. 10 N. R. 3 N.

S60 W 5.77

S48 W 7.04

S84 W 13.91

S45 W 8.50

S11 W 7.70

South 6.39

S3 E 13.25

S2 W 17.02

S3 E 14.28

East 0.39

To the cen of sec. 21 & 28. T. 10 N. R. 3 N.

In sec. 21.

S5 W 4.16

In sec. 28. T. 10 N. R. 3 N.

S26 W 3.46

S68 W 7.03

T. N. 10. S. R. N. 37. 2nd Mer. Ind.

S 77 W 10.30

N 86 W 25.57 At 12.00; 150 links to the River.

N 77 W 9.15

N 86 W 3.49

South 0.15 To the cor of sec. 28 & 29. T. 10. S. R. 37

Commenced at the cor of sec. 29 & 30. T. 10. S. R. 37.
thence up stream in sec. 29.

N 46 E. 31.33

N 3 E. 6.29

N 37 W. 8.70

N 33 W. 6.72

N 21 W. 4.49

N 2 W. 8.14

N 8 E. 15.70

N 5 W. 3.50

N 46 E. 4.52

N 43 E. 3.24

N 57 E. 8.06

S 79 E. 6.10

S 83 E. 19.48

S 76 E. 5.66

S 67 E. 0.50

S 82 E. 10.19

S 89 E. 9.39

S 84 E. 4.27 To the cor of sec. 29 & 28. T. 10. S. R. 37

Commenced in the West Boundary of sec. 31. T. 10
N. R. 37. thence up the River in sec. 31

S 89 E. 3.26

East 3.16

S 85 E. 2.40

N 76 E. 1.27

In sec. 31

In sec. 29

T. N. 10. S. R. N. 37. 2nd Mer. Ind.

S 83 E. 2.98

S 69 E. 5.90

S 77 E. 3.34

S 64 E. 19.83

S 87 E. 3.57

S 82 E. 7.62

East 3.69

S 82 E. 17.56

N 77 E. 8.44

N 42 E. 3.30

N 16 W. 8.98

N 28 W. 6.78

N 24 W. 6.50

N 9 W. 8.62

N 2 E. 2.45

N 20 E. 1.93

N 14 E. 4.26

N 30 E. 3.50

N 39 E. 1.85

N 33 E. 180 To the first cor of sec. 29 & 30. T. 10. S. R. 37.
(29 & 30?)

Meanders of the Left Bank of White River

Commencing at the cor of sec. 1 & 2. T. 10. S. R. 37.

thence up stream in sec. 1.

N. 52.5 E.

S 68 E. 9.54

N 37 E. 15.58

S 45 E. 19.04

S 65 E. 9.81

S 82 E. 13.43

S 87 E. 6.35

S 80 E. 4.30

N 83 E. 4.80 At 400 the A Brook 20 links wide.

N 20 E. 5.61 To the corner line E 127 of sec.

At 950 abt 200 links to the River

In sec. 31

In sec. 1.

T. N. 10 N. R. N. 37 2nd Mer. Ind.

North 150 To the River.

Commenced at the cor. of sec. 28 11. thence up stream in sec. 2. Left Bank.

N 47 W 4.28

N 35 W 5.59

N 54 W 17.60

N 8 W 2.80

N 17 W 2.45

N 38 E 35.53 At 1700 chs 200 to the River

N 59 E 7.57

N 75 E 5.00

In sec. 2.

N 82 E 1.19

S 77 E 1.57

Upper end of our Island

N 68 E 2.30

One chain carries 18.50; the other in this corner

S 80 E 10.90

S 52 E 6.41

S 58 E 5.86

S 43 E 3.00

North 0.19 To the cor. of sec. 18 2. T. 10 N. R. 37

Commenced at the cor. of sec. 28 11. T. 10 N. R. 37 thence in sec. 11. down stream

S 13 W 5.34

S 23 W 4.50

S 14 W 1.94

S 22 W 3.24

In sec. 11.

S 42 W 3.91

S 72 W 5.39

S 87 W 10.6 To the cor. of sec. 10 8 11 T. 10 N. R. 37

Commenced at the cor. of sec. 10 8 11. T. 10 N. R. 37 thence up stream in sec. 10.

T. N. 10 N. R. N. 37 2nd Mer. Ind.

N 40 E 4.57

N 79 E 9.75

N 70 E 7.50

In sec. 10

N 60 E 6.21

N 64 E 4.96

N 57 E 5.96

N 48 E 8.15

At 5.50 At 1500 chs 15 to the river

N 40 E 9.93

N 38 E 11.63 To the line between sec. 10 8 11. T. 10 N. R. 37

Commenced at the cor. of sec. 10 8 22 T. 10 N. R. 37 thence up stream on the Left Bank in sec. 15.

N 63 E 9.34

N 22 E 7.67

N 27 W 5.55

N 13 W 29.68

At 15 chs 250 to the River

N 28 E 3.61

N 18 E 7.31

In sec. 15.

N 1 E 7.53

N 7 E 16.48

At 8 chs 250 to the River

West 1.71 To the cor. of sec. 10 8 15. T. 10 N. R. 37

Commenced at the cor. of sec. 21 8 22 T. 10 N. R. 37 thence in sec. 22. up stream

N. E. 10.00 Latitude; 14.64 Departure. cor. 15 8 22

Commenced at the cor. of sec. 21 8 22. T. 10 N. R. 37 thence in sec. 21 down stream.

S 57 W 12.00

S 36 W 13.50

S 4 E 31.50

A Difference of an out in this corner between the chain carries; one makes 26.50

S 1 E 20.08

T. N. 10 N. R. N. 37 2nd Mer. Ind.

North 1.50 To the River.

Commenced at the cor. of sec. 28 11. Thence up stream in Sec. 2. Left Bank.

N 77 4.28.

N 35 5.59

N 54 17.62

N 87 2.80

N 17 3.45.

N 38 E. 35.53. At 17.00 ch. 200 to the River

N 59 E. 7.57

N 75 E. 5.02

N 82 E. 1.19

S 44 E. 1.57

upper end of our Island

N 68 E. 2.35

S 80 E. 10.90

one chain carries 18.50; the other in this corner

S 52 E. 6.41

S 58 E. 5.86

S 73 E. 3.00

North 0.19 To the cor. of sec. 18 2. T. 10 N. R. 37

Commenced at the cor. of sec. 28 11. T. 10 N. R. 37. Thence in Sec. 11. down stream

S 13 5.34

S 23 4.50

S 14 1.94

S 22 3.24

S 42 3.91

S 72 5.39

S 87 10.6

To the cor. of sec. 10 8 11 T. 10 N. R. 37

Commenced at the cor. of Sec. 10 & 15. T. 10 N. R. 37 Thence up stream. in Sec. 10.

T. N. 10 N. R. N. 37 2nd Mer. Ind.

N 40 E. 4.54

N 79 E. 9.75

N 70 E. 7.50

In Sec. 10

N 60 E. 6.21

N 64 E. 4.96.

N 57 E. 5.96.

N 48 E. 8.15

At 5.50 At Burd 15 the end.

N 43 E. 9.93

N 38 E. 11.63 To the line between Sec. 10 & 11. T. 10 N. R. 37

Commenced at the cor. of sec. 15 & 22 T. 10 N. R. 37 Thence up stream on the Left Bank in Sec. 15.

N 63 E. 9.34

N 22 E. 7.07

N 27 5.55

N 13 29.68.

At 15. ch. 250 the to the River

N 28 E. 3.61

N 18 E. 7.31

In Sec. 15.

N 1 E. 7.53.

N 7 E. 16.48

At 8. ch. 250 links to the River.

West 1.71 To the cor. of sec. 10 & 15. T. 10 N. R. 37

Commenced at the cor. of Sec. 21 & 22. T. 10 N. R. 37 Thence in Sec. 22. up stream

N. E. 10.00 Latitude; 14.64 Departure. cor. 15 & 22

Commenced at the cor. of sec. 21 & 22. T. 10 N. R. 37 Thence in Sec. 21 Down stream.

S 57 13.00

S 36 13.50

S 4 E. 31.50

A Difference of an out in this corner between the chain carries; one makes 26.50

S 1 E. 20.08

T. N. 10. N. R. N. 37 2nd Mer. Ind.

East 0.55 to the cor. of sec. 28828. T. 10 N. R. 37 N.

S 57 N 4.50 In Sec. 28828 T. 10 N. R. 37 N
 S 27 N 4.50
 S 62 N 7.71
 S 67 N 5.98
 S 61 N 6.50
 S 78 N 7.00 In Sec. 28
 West 16.50
 N 80 N 6.00
 N 72 N 9.00
 West 4.34
 North 0.30 to the cor. of sec. 28829 T. 10 N. R. 37 N

West 11.00
 N 83 N 48.50
 South 0.50
 S 80 N 4.21
 S 47 N 2.27
 South 13.00 In Sec. 29
 East 0.72
 S 19 E 3.00
 S 26 E 21.72
 S 4 N 8.00
 S 14 N 11.77
 S 24 N 6.18
 S 43 N 5.94
 S 63 N 5.22
 South 0.09 to the cor. of sec. 29833 T. 10 N. R. 37 N

Commenced at the cor. of sec. 29833. T. 10 N. R. 37 N
 thence
 S. 77. 5.00 Lat. Dep. 10.00 to corner of sec. 31832

T. N. 10. N. R. N. 37 2nd Mer. Ind. 481

Commenced at the cor. of sec. 31832 T. 10 N. R. 37 N thence -

South 23.00 At 11.50; 150 lks to the River
 S. E 15.50 Lat. 7.27 Dep.
 South 9.00
 S. 77 2.00 Lat.; Dep. 7.00 to the cor. of sec. 31832.

Commenced at the cor. of sec. 31832. T. 10 N. R. 37 N thence
 S 56 N 7.55 at 7.00 At Buck 20 links to mid, Sec. N. in Sec. 31
 N 81 N 8.23
 N 89 N 10.44
 N 81 N 10.80
 N 75 N 2.50 At 150 links as spring
 N 82 N 2.50
 N 79 N 18.50 In Sec. 31
 N 70 N 3.11
 N 68 N 8.81
 N 58 N 7.85
 S 87 N 8.25 to the Range Line West 127.43 T. 10 N. R. 37 N
 Surveyed by
 William Harris, D.S.

Certify that the foregoing Transcript of the field
 notes of Survey N. 10 North of Range N. 3
 West of the 2nd Principal Meridian in Indiana,
 has been compared with the Original notes in this Of-
 fice and found to be correct.

Surveyor General's Office,
 Cincinnati, Dec. 1. 1841

Sur. General

T. N. 10. N. R. N. 3 W 2nd Mer. Indr.

East 0.55 To the cor. of sec. 21828. T10NR3W

S57W 4.50 In Sec. 288 T10NR3W

S27W 4.50

S62W 7.71

S67W 5.98

S61W 6.50

S78W 7.00

In Sec. 28

West 16.50

N80W 6.00

N72W 9.00

West 4.34

North 0.30 To the cor. of sec. 28829 T10NR3W

West 11.00

N83W 48.50

South 0.50

S80W 4.21

S47W 2.27

South 13.00

In Sec. 29

East 0.72

S19E 3.00

S26E 21.72

S4W 8.00

S41W 11.77

S24W 6.18

S43W 5.94

S63W 5.22

South 0.09 To the cor. of sec. 29133 T10NR3W

Commenced at the cor. of sec. 29133 T10NR3W
thence

S. W. 5.00 Lat. Dep. 10.00 to corner of sec. 31132

T. N. 10. N. R. N. 3 W 2nd Mer. Indr.

Commenced at the cor. of sec. 31132 T10NR3W
thence -

South 23.00 At 11.50; 150 lks to the River.

S. E 15.50 Lat. 7.27 Dep.

South 9.00

S. W 2.00 Lat.; Dep. 700 to the cor. of sec. 31133.

Commenced at the cor. of sec. 31133 T10NR3W thence

S56W 7.55 at 7.00 At Rock 10 links wide, Sec. N. in Sec. 31

N81W 8.23

N89W 10.44

N81W 10.80

N75W 2.50 At 150 links a spring.

N82W 2.50

N79W 13.50

In Sec. 31

N70W 3.11

N68W 8.81

N58W 7.85

S87W 8.25 To the Range Line West 137 of 31 T10NR3W

Surveyed by
William Harris, 1841

Certify that the foregoing Transcript of the sale
note of Township N. 10 North of Range N. 3
West of the 2nd Principal Meridian, in Indiana,
has been compared with the Original note in this Of-
fice and found to be correct.

Surveyor General's Office,
Cincinnati, Dec. 1 1841

W. General

